

## PRODUCT INFO

# NRX REFRIGERATOR DRAWER SERIES

Meet the NRX Drawer Fridge – the ultimate cooling solution for boats and compact spaces. With its sleek slide-out design, it's built to fit where others can't, making it effortless to access your provisions. Stylish, efficient, and designed for life on the move, the NRX is the essential upgrade for your adventures.

**3-IN-1  
SOLUTION**

**SUPERIOR ENERGY  
EFFICIENCY**

**SMART MODULAR  
INTERIOR**



Mobile living made easy.

 **DOMETIC**

# EFFORTLESS DESIGN, EXCEPTIONAL PERFORMANCE

The NRX Drawer Fridge combines smart design with ultimate practicality. Its frameless door and full-width handle bring modern style, while the slide-out drawer makes accessing your provisions simple and hassle-free. Inside, the modular layout adapts to your needs, and the removable freezer compartment creates extra space for taller bottles or larger items in seconds.

Built for efficiency, the NRX is up to 20% more energy-efficient than comparable fridges, with an electronically controlled compressor and fan speed for quiet, economical operation. Whether you're chilling drinks or deep-freezing essentials, the NRX is the perfect balance of style, performance, and practicality.

## Benefits with NRX Series

- Customizable Storage: Modular interior with adjustable partitions and versatile storage trays.
- Convenient Slide-Out Design: Smooth, self-closing drawer with easy access from any angle via a full-width handle.
- 3-in-1 Cooling Solution: Use as a fridge-freezer combination, or remove the freezer compartment for full fridge or freezer capacity.
- Elegant Front Panel Options: Frameless door available in dark silver or stainless steel finishes.
- Energy-Efficient Performance: Premium variable-speed compressor with Eco, Performance, and Silent modes.
- Secure and Practical Features: Two-point locking system (NRX-S only) with winter ventilation mode and optional modular installation frame.

REFRIGERATION TECHNOLOGY	Compressor
REFRIGERANT TYPE	R600a
TEMPERATURE RANGE	12°C to 0°C Fridge -5°C to -15°C Freezer
INPUT VOLTAGE	12/24 V DC
INCLUDED	Wire Basket x 1 Horizontal Divider x 1 Vertical Divider x 1 Upper Door Tray x 1 Removable Freezer Compartment x 1



### 1. Well equipped interior

Freezer, dividers, wire basket, door tray – it's all there.



### 2. Compact, light & efficient compressor

Offering unparalleled energy efficiency and installation capabilities.



### 3. Touch control panel




Flush-mounted inside the cabinet, with integrated LED light bar.

From 0.22kw  
per 24 Hour



## Dometic NRX S Drawer Series

Frameless stainless steel 316 door with and full-width handle.

	MODEL	NRXD 50S	NRXD 60S
NRXD 50S 	<b>Material</b>	Frameless SS 316 door with full-width SS handle.	Frameless SS 316 door with full-width SS handle.
	<b>Capacity:</b>		
	– Total capacity	46.0 L	58.0 L
	– Total capacity (freezer compartment removed)	44.0 L	55.0 L
	– Refrigerator compartment	41.6 L	51.9 L
	– Freezer compartment	4.4 L	6.1 L
	<b>Connections</b>	12/24 V DC	
	<b>Supply battery protection (12 V)</b>		
	– End-of-discharge voltage	10.4 V	
	– Cut-in voltage	11.7 V	
NRXD 60S 	<b>Supply battery protection (24 V)</b>		
	– End-of-discharge voltage	22.8 V	
	– Cut-in voltage	24.2 V	
	<b>Climate class</b>	T	
	<b>Storage temperature range:</b>		
	– Refrigerator	0 °C to +12 °C	
	– Freezer compartment	–15 °C to –5 °C	
	– Freezer mode	–6 °C	
	<b>Intended ambient temperature use</b>	+16 °C to +43 °C	
	<b>Refrigerant</b>	R600a, Refrigerant quantity: 12 g CO <sub>2</sub> equivalent: 0.000 t Global warming potential (GWP): 3	R600a, Refrigerant quantity: 12 g CO <sub>2</sub> equivalent: 0.000 t Global warming potential (GWP): 3
	<b>Noise emission (EN60704)</b>	40–45 dB(A)	
	<b>Dimensions (W × H × D)</b>	380 x 525 x 510 mm	448 x 525 x 537 mm
	<b>Weight</b>	NRXD S: 19.6 kg	NRXD S: 21 kg
	<b>Product</b>	<b>Ref. No.</b>	
	Dometic NRXD 50S	9620017625	
Universal flush mount fixing kit can be used for flush mount & standard installation.	Dometic NRXD 60S	9620017626	
	<b>Optional extras</b>	<b>Ref. No.</b>	
	Universal flush-mount frame, NRX 50S (SUS316)	9620012877	
	Universal flush-mount frame, NRX 60S (SUS316)	9620012881	
	Dometic DPS-R 135, Mains adapter for refrigerators	9620013449	